

INDUSTRIAL PRODUCTS





INDUSTRIAL STRENGTH UNIVERSAL DEGREASER

- Industrial Strength Universal Degreaser
- Contains Buckeye's patented Liquescent[®] Degreasing System
- Non-flammable
- Contains no butyl, caustics, or phosphates
- Eliminates 1,1,1-Trichloroethane, Methyl Ethyl Ketone and 2-butoxy ethanol commonly found in solvent-based products



* ShopMaster is also available in 5,000 gallon tankers

TECHNICAL SPECIFICATIONS		
pH Concentrate	12.3 ± 0.2	
рН (1:10)	11.2 ± 0.5	
Fragrance	Floral	
Flash Point	None	
Weight/Gallon	8.6 lbs	
Phosphates	None	
Biodegradable	Yes	
Freeze/Thaw Stability	Unaffected by freezing	
Storage Stability	Excellent, when stored in original unopened container	
ASTM F-483, F-485, F-502, F-519, F-1110-90	Conforms	





FOAM-FREE HIGH PRESSURE SYSTEM DEGREASER

- Contains Buckeye's patented Liquescent[®] Degreasing System
- Enhanced rust inhibitors/corrosion inhibitors
- Low VOCs/low odor
- ShopMaster HP solution must be heated to between 120° and 180°F
- Low pH

Available Packaging



TECHNICAL SPECIFICATIONS		
pH Concentrate	8.6 ± 0.2	
pH (1:10)	9.1 ± 0.5	
Fragrance	None added – mild	
Flash Point	None	
Weight/Gallon	9.0 lbs	
Color	Water clear	







- Contains Buckeye's patented Liquescent[®] Degreasing System
- Foam-free, heavy-duty degreaser for use in high-pressure, self-contained pressure washers
- Removes carbon, greases and oils from surfaces
- No harmful VOCs or other hazards associated with freecaustics, butyl (2-butyoxyethanol) and solvents
- No chemicals reportable under SARA Title III, Section 313

Available Packaging



TECHNICAL SPECIFICATIONS		
pH Concentrate	12.8 ± 0.2	
рН (1:10)	12.3 ± 0.5	
Fragrance	None added – mild	
Flash Point	None	
Weight/Gallon	9.2 lbs	
Phosphates	None	
Silicates	Yes	
Freeze/Thaw Stability	Unaffected by freezing	
Storage Stability	Excellent, when stored in original unopened container	





LOW pH UNIVERSAL DEGREASER

- Contains Buckeye's patented Liquescent[®] Degreasing System
- A unique, low-pH, water-based degreaser
- Alternative to solvents such as 1,1,1-Trichloroethane, MEK and hydrocarbon blends
- Non-flammable
- Contains no butyl, caustics, silicates, phosphates, or d-limonene

Available Packaging



TECHNICAL SPECIFICATIONS		
pH Concentrate	9.0 ± 0.2	
рН (1:10)	7.8 ± 0.5	
Fragrance	None added – mild	
Flash Point	None	
Weight/Gallon	8.5 lbs	
Phosphates	None	
Silicates	None	
Freeze/Thaw Stability	Unaffected by freezing	
Storage Stability	Excellent, when stored in original unopened container	





INDUSTRIAL STRENGTH RESIN CLEANER

- Synthetic Solvent Cleaner
- Replaces chlorinated, petroleum, and other volatile solvents
- Hand wipe and dip tank applications

TECHNICAL SPECIFICATIONS		
Fragrance	None added – Sweet	
Flash Point	200°F	
Weight/gallon	8.8 lbs	
Vapor Pressure	0.2 mmHg @ 68°F	
VOC Content (SCAQD Rule 1171)	1,060 g/L	
Color	Water clear	

Available Packaging



IMMERSION[™] C L E A N E R

- Removes cutting fluids, tapping fluids, drawing fluids, processing oils and buffing compounds.
- Designed for multiple stage wash systems
- Safe on ferrous and non-ferrous metals
- Flash rust inhibitors
- Corrosion inhibitors
- Foam suppressants
- No hazardous ingredients as listed by OSHA

TECHNICAL SPECIFICATIONSpH Concentrate12.0 ± 0.2pH (1:10)11.6 ± 0.2FragranceNone added – mildFlash PointNoneWeight/Gallon9.1 lbsBiodegradableYesColorWater clear

Available Packaging*



* Immersion Cleaner is also available in 5,000 gallon tankers