



# Safety Data Sheet

Issue Date: 12-Nov-2012

Revision Date: 22-Dec-2017

Version 2

## 1. IDENTIFICATION

### Product Identifier

**Product Name** Buckeye Eco Muscle Cleaner

### Other means of identification

**SDS #** BE-6014

**Product Code** 6014

**UN/ID No** UN1760

### Recommended use of the chemical and restrictions on use

**Recommended Use** Concentrated Spray and Wipe Cleaner, Water Based.

### Details of the supplier of the safety data sheet

#### Supplier Address

Buckeye International, Inc.  
2700 Wagner Place  
Maryland Heights, MO 63043 USA

#### Emergency Telephone Number

**Company Phone Number** 1-314-291-1900

**Emergency Telephone (24 hr)** Transportation - INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

Medical - (International) 1-651-632-8956 (North America) 1-800-303-0441

## 2. HAZARDS IDENTIFICATION

**Appearance** Orange/red solution

**Physical State** Liquid

**Odor** None No fragrance added

### Classification

Skin corrosion/irritation	Category 1 Sub-category C
Serious eye damage/eye irritation	Category 1

### Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed

### Signal Word

**Danger**

### Hazard Statements

Causes severe skin burns and eye damage



**Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray  
 Wash face, hands and any exposed skin thoroughly after handling  
 Wear protective gloves/protective clothing/eye protection/face protection

**Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 Immediately call a poison center or doctor/physician  
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
 Wash contaminated clothing before reuse  
 If skin irritation occurs: Get medical advice/attention  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
 Immediately call a poison center or doctor/physician  
 IF SWALLOWED: Call a poison center or doctor/physician  
 Rinse mouth  
 Do not induce vomiting

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Other Hazards**

Harmful to aquatic life with long lasting effects

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Phenoxyethanol	122-99-6	<20
Benzyl alcohol	100-51-6	<20
Octanoic Acid	124-07-2	<10
Dodecyl benzene sulfonic acid	27176-87-0	<4
Sodium hydroxide	1310-73-2	<3

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

### 4. FIRST-AID MEASURES

**First Aid Measures**

<b>Eye Contact</b>	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
<b>Skin Contact</b>	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Get medical attention if irritation develops or persists.
<b>Inhalation</b>	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.
<b>Ingestion</b>	Give two large glasses of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention.

**Most important symptoms and effects**

**Symptoms** Causes severe skin burns and eye damage.

**Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** Treat symptomatically.

**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media** Not determined.

**Specific Hazards Arising from the Chemical**

Combustion products may be toxic.

**Hazardous Combustion Products** Carbon oxides. Nitrogen oxides (NOx). Sulfur oxides.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures**

**Personal Precautions** Use personal protection recommended in Section 8.

**Environmental Precautions** Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

**Methods and material for containment and cleaning up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up** Pick up with mop, wet/dry vac, or absorbent material. Rinse area with clear water and allow floor to dry before allowing traffic.

**7. HANDLING AND STORAGE****Precautions for safe handling**

**Advice on Safe Handling** Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Wash face, hands, and any exposed skin thoroughly after handling. Do not breathe dust/fume/gas/mist/vapors/spray. Keep containers closed when not in use.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep container tightly closed and store in a cool, dry and well-ventilated place. Store at room temperature. Store locked up.

**Packaging Materials** May damage some plastics.

**Incompatible Materials** Chlorine bleach.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> (vacated) Ceiling: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>

**Appropriate engineering controls**

**Engineering Controls**                      Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection**                      Use safety glasses or chemical splash goggles.

**Skin and Body Protection**                      Wear rubber gloves or other impervious gloves.

**Respiratory Protection**                      No protection is ordinarily required under normal conditions of use and with adequate ventilation.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Information on basic physical and chemical properties**

<b>Physical State</b>	Liquid	<b>Odor</b>	None No fragrance added
<b>Appearance</b>	Orange/red solution	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Red-orange		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>pH</b>	10.4 ± 0.2 (conc) 10.2 ± 0.2 (1:8 dilution)	
<b>Melting Point/Freezing Point</b>	Not determined	
<b>Boiling Point/Boiling Range</b>	100 °C / 212 °F	
<b>Flash Point</b>	None	Tag Closed Cup (Water = 1)
<b>Evaporation Rate</b>	1.0	
<b>Flammability (Solid, Gas)</b>	Liquid-Not applicable	
<b>Upper Flammability Limits</b>	Not applicable	
<b>Lower Flammability Limit</b>	Not applicable	
<b>Vapor Pressure</b>	Not determined	
<b>Vapor Density</b>	Not determined	
<b>Specific Gravity</b>	1.058	(1=Water)
<b>Water Solubility</b>	Infinite	
<b>Solubility in other solvents</b>	Not determined	
<b>Partition Coefficient</b>	Not determined	
<b>Auto-ignition Temperature</b>	Not applicable	
<b>Decomposition Temperature</b>	Not determined	
<b>Kinematic Viscosity</b>	Not determined	
<b>Dynamic Viscosity</b>	Not determined	
<b>Explosive Properties</b>	Not determined	
<b>Oxidizing Properties</b>	Not determined	

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### Chemical Stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

#### **Hazardous Polymerization**

Hazardous polymerization does not occur.

### Conditions to Avoid

Keep separated from incompatible substances. Keep out of reach of children.

### Incompatible Materials

Chlorine bleach.

### Hazardous Decomposition Products

Carbon oxides. Nitrogen oxides (NOx). Sulfur oxides.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### **Product Information**

#### **Eye Contact**

Causes severe eye damage.

#### **Skin Contact**

Causes severe skin burns.

#### **Inhalation**

Avoid breathing vapors or mists.

#### **Ingestion**

May be harmful if swallowed.

### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Benzyl alcohol 100-51-6	= 1230 mg/kg ( Rat )	= 2000 mg/kg ( Rabbit )	= 8.8 mg/L ( Rat ) 4 h
Phenoxyethanol 122-99-6	= 1260 mg/kg ( Rat )	= 5 mL/kg ( Rabbit ) = 14422 mg/kg ( Rat )	-
Octanoic Acid 124-07-2	= 10080 mg/kg ( Rat )	> 5 g/kg ( Rabbit )	-
Dodecyl benzene sulfonic acid 27176-87-0	= 500 mg/kg ( Rat )	-	-
Sodium hydroxide 1310-73-2	-	= 1350 mg/kg ( Rabbit )	-

### Information on physical, chemical and toxicological effects

#### **Symptoms**

Please see section 4 of this SDS for symptoms.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### **Carcinogenicity**

Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

### Numerical measures of toxicity

Not determined

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Harmful to aquatic life with long lasting effects.

### Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Benzyl alcohol 100-51-6	35: 3 h Anabaena variabilis mg/L EC50	460: 96 h Pimephales promelas mg/L LC50 static 10: 96 h Lepomis macrochirus mg/L LC50 static	EC50 = 50 mg/L 5 min EC50 = 63.7 mg/L 15 min EC50 = 63.7 mg/L 5 min EC50 = 71.4 mg/L 30 min	23: 48 h water flea mg/L EC50
Phenoxyethanol 122-99-6	500: 72 h Desmodemus subspicatus mg/L EC50	337 - 352: 96 h Pimephales promelas mg/L LC50 flow-through 366: 96 h Pimephales promelas mg/L LC50 static 220 - 460: 96 h Leuciscus idus mg/L LC50 static	EC50 = 32.4 mg/L 5 min EC50 = 880 mg/L 17 h	500: 48 h Daphnia magna mg/L EC50
Octanoic Acid 124-07-2		310: 96 h Oryzias latipes mg/L LC50 semi-static 110: 96 h Brachydanio rerio mg/L LC50 semi-static		170: 24 h Daphnia magna mg/L EC50
Dodecyl benzene sulfonic acid 27176-87-0	29: 96 h Pseudokirchneriella subcapitata mg/L EC50	10.8: 96 h Oncorhynchus mykiss mg/L LC50 static 3.5 - 10: 96 h Brachydanio rerio mg/L LC50 static		5.88: 48 h Daphnia magna mg/L EC50
Sodium hydroxide 1310-73-2		45.4: 96 h Oncorhynchus mykiss mg/L LC50 static		

### Persistence/Degradability

Not determined.

### Bioaccumulation

Not determined.

### Mobility

Chemical Name	Partition Coefficient
Benzyl alcohol 100-51-6	1.1
Phenoxyethanol 122-99-6	1.13
Octanoic Acid 124-07-2	2.92

### Other Adverse Effects

Not determined

## 13. DISPOSAL CONSIDERATIONS

### Waste Treatment Methods

#### **Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### **Contaminated Packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**California Hazardous Waste Status**

Chemical Name	California Hazardous Waste Status
Sodium hydroxide 1310-73-2	Toxic Corrosive

**14. TRANSPORT INFORMATION**

**Note** Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

**DOT**

**UN/ID No** UN1760  
**Proper Shipping Name** Corrosive liquid, n.o.s. (Octanoic acid, Sodium hydroxide)  
**Hazard Class** 8  
**Packing Group** III

**IATA**

**UN/ID No** UN1760  
**Proper Shipping Name** Corrosive liquid, n.o.s. (Octanoic acid, Sodium hydroxide)  
**Hazard Class** 8  
**Packing Group** III

**IMDG**

**UN/ID No** UN1760  
**Proper Shipping Name** Corrosive liquid, n.o.s. (Octanoic acid, Sodium hydroxide)  
**Hazard Class** 8  
**Packing Group** III

**15. REGULATORY INFORMATION****International Inventories**

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Phenoxyethanol	Present	X		Present		Present	X	Present	X	X
Benzyl alcohol	Present	X		Present		Present	X	Present	X	X
Octanoic Acid	Present	X		Present		Present	X	Present	X	X
Dodecyl benzene sulfonic acid	Present	X		Present		Present	X	Present	X	X
Sodium hydroxide	Present	X		Present		Present	X	Present	X	X

**Legend:**

*TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*

*DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List*

*EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*

*ENCS - Japan Existing and New Chemical Substances*

*IECSC - China Inventory of Existing Chemical Substances*

*KECL - Korean Existing and Evaluated Chemical Substances*

*PICCS - Philippines Inventory of Chemicals and Chemical Substances*

*AICS - Australian Inventory of Chemical Substances*

**US Federal Regulations****CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Dodecyl benzene sulfonic acid 27176-87-0	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ
Sodium hydroxide 1310-73-2	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

**SARA 313**

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Phenoxyethanol - 122-99-6	122-99-6	20	1.0

**CWA (Clean Water Act)**

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Dodecyl benzene sulfonic acid	1000 lb			X
Sodium hydroxide	1000 lb			X

**US State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Benzyl alcohol 100-51-6		X	X
Phenoxyethanol 122-99-6	X		X
Dodecyl benzene sulfonic acid 27176-87-0	X	X	X
Sodium hydroxide 1310-73-2	X	X	X

**16. OTHER INFORMATION**

<b>NFPA</b>	<b>Health Hazards</b>	<b>Flammability</b>	<b>Instability</b>	<b>Special Hazards</b>
	2	0	0	Not determined
<b>HMIS</b>	<b>Health Hazards</b>	<b>Flammability</b>	<b>Physical Hazards</b>	<b>Personal Protection</b>
	Not determined	Not determined	Not determined	Not determined

Issue Date: 12-Nov-2012  
Revision Date: 22-Dec-2017  
Revision Note: Telephone number update

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**