



Safety Data Sheet

Issue Date: 27-Dec-2011

Revision Date: 11-Nov-2016

Version 1

1. IDENTIFICATION

Product Identifier

Product Name Buckeye Ripsaw

Other means of identification

SDS # BE-5025-CA

Product Code 5025
Synonyms None

UN/ID No UN1760

Recommended use of the chemical and restrictions on use

Recommended Use Floor finish stripper, water based

Uses Advised Against No information available

Details of the supplier of the safety data sheet

Initial Supplier Identifier

United States Supplier Address

Buckeye International, Inc.
2700 Wagner Place
Maryland Heights, MO 63043 USA
(International) 1-651-632-8956 (North America) 1-800-303-0441

24 HR Emergency Telephone Numbers

TRANSPORTATION - NFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

MEDICAL - 1-651-632-8956 (International) 1-800-303-0441 (North America)

2. HAZARDS IDENTIFICATION

Appearance Water clear liquid

Physical state Liquid

Odour Mild No fragrance added

Classification

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

Label Elements

Signal word
Danger

Hazard statements

Causes severe skin burns and eye damage



Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapours/spray
Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Immediately call a POISON CENTRE or doctor
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]
Wash contaminated clothing before reuse
IF INHALED: Remove person to fresh air and keep comfortable for breathing
Immediately call a POISON CENTRE or doctor
IF SWALLOWED: rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Information

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Benzyl alcohol	100-51-6	14	-	-
Ethylene glycol monophenyl ether	122-99-6	9	-	-
Ethanolamine	141-43-5	5	-	-
Octanoic Acid	124-07-2	4	-	-
Sodium metasilicate	6834-92-0	2	-	-
Sodium hydroxide	1310-73-2	1.1	-	-

4. FIRST AID MEASURES

First Aid Measures

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek immediate medical attention/advice.

Skin contact

Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated

clothing and wash it before reuse. Seek immediate medical attention/advice.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek immediate medical attention/advice.

Ingestion Drink 1 or 2 glasses of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Most important symptoms and effects

Symptoms May cause redness, pain, and severe skin burns. Nausea. Headache. May cause skin irritation and defatting of skin with repeated/prolonged contact. Eye contact may cause redness or burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically. Dermatitis or other pre-existing skin conditions may be aggravated by overexposure to this product.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical Toxic products of combustion.

Hazardous Combustion Products Oxides of sulphur. Carbon oxides. Nitrogen oxides (NOx). Silicon oxides.

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Special protective equipment for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up with mop, wet/dry vac, or absorbent material. Rinse area with clear water and allow floor to dry before allowing traffic.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling**Advice on safe handling**

Do not breathe dust/fume/gas/mist/vapours/spray. Wash face, hands and any exposed skin thoroughly after handling. Use personal protection recommended in Section 8. Keep out of the reach of children.

Conditions for safe storage, including any incompatibilities**Storage Conditions**

Keep containers tightly closed in a cool, well-ventilated place. Store locked up. Store at room temperature. Store away from incompatible materials. Store on low shelves.

Incompatible materials

Chlorine bleach Acids

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters**Exposure Limits**

Chemical Name	Canada - Alberta - Occupational Exposure Limits - Ceilings	Canada - British Columbia - Occupational Exposure Limits - Ceilings	Canada - Ontario - Occupational Exposure Limits - Ceilings	Quebec
Ethylene glycol monophenyl ether 122-99-6			TWA: 25 ppm TWA: 141 mg/m ³ Skin	
Ethanolamine 141-43-5	TWA: 3 ppm TWA: 7.5 mg/m ³ STEL: 6 ppm STEL: 15 mg/m ³	TWA: 3 ppm STEL: 6 ppm	TWA: 3 ppm STEL: 6 ppm	TWA: 3 ppm TWA: 7.5 mg/m ³ STEL: 6 ppm STEL: 15 mg/m ³
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³	CEV: 2 mg/m ³	Ceiling: 2 mg/m ³

Appropriate engineering controls**Engineering controls**

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Risk of contact: Wear approved safety goggles.

Skin and body protection

Wear rubber gloves or other impervious gloves. Normal work clothing (long sleeved shirts and long pants) is recommended. Wear water or chemical resistant footwear when scrubbing floors.

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations

Wash contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Water clear liquid
Colour	Water clear
Odour	Mild No fragrance added
Odour Threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	12.6±0.3	1:4 dilution with DI water 12.3±0.2
Melting Point/Freezing Point	Not determined	
Boiling Point/Boiling Range	100 °C / 212 °F	
Flash Point	None	
Evaporation Rate	1.0	(Water = 1)
Flammability (Solid, Gas)	n/a-liquid	
Flammability Limits in Air		
Upper Flammability Limits	Not applicable	
Lower Flammability Limit	Not applicable	
Vapour Pressure	Not determined	
Vapour Density	Not determined	
Relative Density	1.06	
Water Solubility	Infinite	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive properties	No information available.	
Oxidising properties	No information available.	

Other Information

Softening Point	No information available
Molecular weight	No information available
VOC Content (%)	No information available
Density	No information available
Bulk Density	No information available

10. STABILITY AND REACTIVITY

Reactivity	No information available.
Chemical Stability	Stable under normal conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous Polymerisation	Hazardous polymerisation does not occur.
Conditions to Avoid	None known based on information supplied.
Incompatible Materials	Chlorine bleach. Acids.
Hazardous Decomposition Products	Oxides of sulphur. Carbon oxides. Nitrogen oxides (NOx). Silicon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure**Product Information**

Eye contact	Causes severe eye damage.
Skin contact	Causes severe skin burns.
Inhalation	Avoid breathing vapours or mists.
Ingestion	May be harmful if swallowed.

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Numerical measures of toxicity

Not determined

Unknown acute toxicity No information available

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Benzyl alcohol 100-51-6	= 1230 mg/kg (Rat)	= 2 g/kg (Rabbit)	= 8.8 mg/L (Rat) 4 h
Ethylene glycol monophenyl ether 122-99-6	= 1260 mg/kg (Rat)	= 5 mL/kg (Rabbit)	-
Ethanolamine 141-43-5	= 1720 mg/kg (Rat)	= 1 mL/kg (Rabbit) = 1000 mg/kg (Rabbit)	-
Octanoic Acid 124-07-2	= 10080 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
Sodium metasilicate 6834-92-0	= 1153 mg/kg (Rat)	-	-
Sodium hydroxide 1310-73-2	-	= 1350 mg/kg (Rabbit)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Benzyl alcohol 100-51-6	35: 3 h <i>Anabaena variabilis</i> mg/L EC50	10: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 460: 96 h <i>Pimephales promelas</i> mg/L LC50 static	EC50 = 50 mg/L 5 min EC50 = 63.7 mg/L 15 min EC50 = 63.7 mg/L 5 min EC50 = 71.4 mg/L 30 min	23: 48 h water flea mg/L EC50
Ethylene glycol monophenyl ether 122-99-6	500: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50	337 - 352: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 366: 96 h <i>Pimephales promelas</i> mg/L LC50 static 220 - 460: 96 h <i>Leuciscus idus</i> mg/L LC50 static	EC50 = 32.4 mg/L 5 min EC50 = 880 mg/L 17 h	500: 48 h <i>Daphnia magna</i> mg/L EC50
Ethanolamine 141-43-5	15: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50	114 - 196: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static 300 - 1000: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 3684: 96 h <i>Brachydanio rerio</i> mg/L LC50 static 227: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 200: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 flow-through	EC50 = 110 mg/L 17 h EC50 = 12200 mg/L 2 h EC50 = 13.7 mg/L 30 min	65: 48 h <i>Daphnia magna</i> mg/L EC50
Octanoic Acid 124-07-2	-	310: 96 h <i>Oryzias latipes</i> mg/L LC50 semi-static 110: 96 h <i>Brachydanio rerio</i> mg/L LC50 semi-static	-	170: 24 h <i>Daphnia magna</i> mg/L EC50
Sodium metasilicate 6834-92-0	-	210: 96 h <i>Brachydanio rerio</i> mg/L LC50 semi-static 210: 96 h <i>Brachydanio rerio</i> mg/L LC50	-	216: 96 h <i>Daphnia magna</i> mg/L EC50
Sodium hydroxide 1310-73-2	-	45.4: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static	-	-

Persistence/Degradability No information available.**Bioaccumulation** No information available.**Mobility** .

Chemical Name	Partition Coefficient
Benzyl alcohol 100-51-6	1.1
Ethylene glycol monophenyl ether 122-99-6	1.13
Ethanolamine 141-43-5	-1.91
Octanoic Acid 124-07-2	2.92

Other Adverse Effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

14. TRANSPORT INFORMATION

DOT

UN/ID No	UN1760
Proper Shipping Name	Corrosive liquid, n.o.s. (Ethanolamine, Sodium hydroxide)
Hazard Class	8
Packing Group	II

TDG

UN/ID No	UN1760
Proper Shipping Name	Corrosive liquid, n.o.s. (Ethanolamine, Sodium hydroxide)
Hazard Class	8
Packing Group	II

IATA

UN/ID No	UN1760
Proper Shipping Name	Corrosive liquid, n.o.s. (Ethanolamine, Sodium hydroxide)
Hazard Class	8
Packing Group	II

IMDG

UN/ID No	UN1760
Proper Shipping Name	Corrosive liquid, n.o.s. (Ethanolamine, Sodium hydroxide)
Hazard Class	8
Packing Group	II

15. REGULATORY INFORMATION

REGULATORY INFORMATION

International Regulations

Ozone-depleting substances (ODS)	Not applicable
Persistent Organic Pollutants	Not applicable
Export Notification requirements	Not applicable

International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
Benzyl alcohol	X	X	X	Present	X	Present	X	X
Ethylene glycol monophenyl ether	X	X	X	Present	X	Present	X	X
Ethanolamine	X	X	X	Present	X	Present	X	X
Octanoic Acid	X	X	X	Present	X	Present	X	X
Sodium metasilicate	X	X	X	Present	X	Present	X	X
Sodium hydroxide	X	X	X	Present	X	Present	X	X

Legend:**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS** - Japan Existing and New Chemical Substances**IECSC** - China Inventory of Existing Chemical Substances**KECL** - Korean Existing and Evaluated Chemical Substances**PICCS** - Philippines Inventory of Chemicals and Chemical Substances**AICS** - Australian Inventory of Chemical Substances**16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION****NFPA**

Health Hazards 3

Flammability 0

Instability 0

Special Hazards

Not determined

HMIS

Health Hazards

Flammability

Physical hazards

Personal Protection Not

Not determined

Not determined

Not determined

determined

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA

TWA (time-weighted average)

STEL

STEL (Short Term Exposure Limit)

Ceiling

Maximum limit value

*

Skin designation

Issue Date:

27-Dec-2011

Revision Date:

11-Nov-2016

Revision Note:

Canadian format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet